10. Timber purchased should be removed as early as possible, and in no case should it be allowed to remain longer than 90 days after the dates fixed in clause 7 *supra*. Timber not removed after purchase will remain in the depot at the risk of the purchaser from the date of the confirmation of the sale.

11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, for the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

M. G. VENKATA RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 18th February 1936.

The attention of the public is invited to the Notification calling for tenders for extending and improving the Barne Park Buildings to accommodate the Women's Intermediate College, Bangalore, on pages 285 to 287, Part VI of the *Mysore Gazette*, dated 27th February 1936.

The last date of receiving the tenders is 13th March 1936.

Abstract Notification dated 18th February 1936.

The attention of the public is invited to the Notification calling for tenders for improvements and extension of Loksley Hall for the Hostel of Women's College at Bangalore, on pages 287 to 289 of Part VI of the *Mysore Gazette*, dated 27th February 1936.

The last date of receiving the tenders is 13th March 1936.

N. KRISHNIENGAR,
Executive Engineer.

BANGALORE DIVISION.

Notification, dated 7th March 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 23rd March 1936, for constructing (1) a New Store Room, (2) Mantapas on either side of the Eastern Mahadwara, (3) Bhuvaneswari over the central portions of Navarangam, (4) dismantling and reconstructing the existing kitchen attached to the Sree Narasimhaswamy Temple at Sugganhalli, Magadi Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M., and 5 P.M.,

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees one hundred and fifty in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for constructing (1) a New Store Room, (2) Mantapas on either side of the Eastern Mahadwara (3) Bhuvaneswari over the central portion of Navarangam, (4) dismantling and reconstructing the existing kitchen attached to the Sree Narasimhaswamy Temple at Sugganhalli, Magadi Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate of approximate quantities for repairing the Sree Narasimhaswamy Temple at Sugganhalli, Magadi Taluk.

No.	Items of work	Per	Quantity	Rate	Rate in	
					Words	Figures
	Constructing a Store Room.			Rs. a. p.		
1	Earthwork excavating foundations ..	C.yds.	15	0 3 0		
2	Filling foundation with size stone in mortar	C.ft.	396	0 4 6		
3	Superstructure with size stone in mortar with bond stones for every six feet in each layer	„	732	0 4 6		
4	Burnt stone slabs 6″ thick for sills and lintels of doors and windows, one line dressed and set in mortar ..	Sft.	26	0 4 0		
5	Burnt stone slab roofing 6″ thick with one line dressing and over it 3″ of concrete with plastering, etc., complete	S.qr.	250	42 0 0		
6	Ornamental parapet wall with burnt brick in mortar all round 1½′ high with plastering and white washing, etc., complete	R.ft.	66	1 0 0		
7	Teakwood battened door with 1¼″ thick plank with iron fittings, etc., complete	S.ft.	23	1 8 0		
8	R. C. Ventilators windows will be supplied departmently at Bangalore, charges may be given for carting, fixing, etc., complete	„	30	..		
9	Plastering inside with 2 coats of lime mortar	Sqr.	4.80	3 0 0		
10	Deep cement pointing outside the building	„	5.76	3 8 0		
11	Flooring with 3″ stone jelly concrete with 1″ cement concrete over it and cement plastering ½″ thick ..	„	1.76	15 0 0		
	Constructing Mantapas on either side of Mahadwara.					
1	Earthwork excavation for foundation	C.yds.	39	0 4 0		
2	Stone jelly concrete in lime mortar ..	C.ft.	510	0 4 0		

No.	Items of work	Per	Quantity	Rate	Rate in Words	Rate in Figures
			Rs. a. p.			Rs.
3	Filling foundation with size stone in mortar	C.ft.	105	0 4 0		
3a	Do with the available stones	,,	680	0 2 6		
4	Filling in the basement with earth and consolidation	C.yd.	15	0 4 0		
5	Superstructure with burnt stone in mortar with bond stones at every 6′ in each layer	C.ft.	1,185	0 4 6		
6	Providing stone beams of 12″×15″ 2 line dressed including hoisting and fixing	C.ft.	99	2 0 0		
7	Burnt stone slabs 6″ thick over basement including dressing and fixed in mortar	S.ft.	92	0 4 6		
8	Burnt stone slab roofing 6″ thick with one line dressing and over it 3″ of concrete with plastering, etc., complete	Sqr.	6·45	42 0 0		
9	Deep cement pointing	,,	15·80	3 0 0		
10	Ornamental parapet wall with burnt brick in mortar all round 1½′ high with plastering and white washing, etc., complete	R.ft.	142	1 0 0		
11	Flooring with burnt stone slabs 4″ thick one line dressed with neat joints on 3″ stone jelly concrete bed including cement pointing	Sqr.	4·00	40 0 0		
12	Burnt stone pillars 12″×12″ edges chamfered with base and capital including hoisting and fixing	No.	8	25 0 0		
13	Zinc water spouts	,,	10	0 12 0		
	Constructing a Bhuvaneswari over the Central portion of Navarangam.					
1	Removing slab put in over roof ..	S.ft.	64	0 2 0		
2	Constructing pillars at the corners with burnt stone in mortar with bond stones	C.ft.	36	0 4 6		
3	R. C. ventilators will be supplied departmently at Bangalore only charges may be given for carrying and fixing	Sft.	112			
4	Burnt stone slabs 6″ thick roofing with one line dressing and over it 3″ of concrete with plastering, etc., complete with 18″ projection at sides ..	Sqr.	1·32	42 0 0		
5	Burnt stone slabs 6″ thick and spanning over pillar	S.ft.	42	0 6 0		
6	Deep cement pointing the masonry ..	,,	0.88	3 0 0		
7	Silicate painting to the windows, slate colours	,,	0.88	3 0 0		
	Dismantling the existing Kitchen and Re-building it to the same dimension with a height of 8 feet.					
1	Dismantling the slab roofing ..	Sqr.	2·00	1 0 0		
2	Do the side wall ..	C.ft.	5·73	0 0 6		

No.	Items of work	Per	Quantity	Rate	Rate in	
					Words	Figures
				Rs. a. p.		Rs.
3	Excavating foundation	C.yds.	10	0 4 0		
4	Filling foundation with stone jelly concrete	C.ft.	112	0 4 0		
5	Filling foundation with size stone in mortar with bond stones at every six feet in each layer	,,	179	0 4 6		
6	Superstructure with size stone in mortar with bond stones at 6' apart in each layer	,,	749	0 4 0		
7	Burnt stone slab roofing 6" thick with one line dressing and over it 3" of concrete with plastering, etc., complete with the old available slabs ..	Sqr.	2·60	..		
7A	Deep cement pointing	,,	8·14	3 0 0		
8	Whitewashing, two coats	,,	8·14	0 4 0		
9	Plain parapet wall with burnt brick in mortar 1½' high with plastering and whitewashing, etc., complete ..	R.ft.	44¾	0 12 0		
10	Flooring with burnt stone slabs 4" thick one line dressed with neat joints on 3" stone jelly concrete including cement pointing .. .	Sqr.	1·23	40 0 0		

Notification dated 7th March 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 23rd March 1936, for repairing the Sree Narasimhaswamy Temple at Suggenahalli, Magadi Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for repairing the Sree Narasimhaswamy Temple, at Suggenahalli, Magadi Taluk" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities for repairing the Sree Narasimhaswamy Temple at Suggenhalli, Magadi Taluk.

No.	Items of work	Per	Quantity	Rate	Rate in Words	Rate in Figures
				Rs. a. p.		Rs.
1	Dismantling walls	C.ft	6,284	0 0 6		
2 (*a*)	Pulling down two stone pillars of 1 × 1′ behind Yagasala on the northern side.	,,	16	0 3 0		
(*b*)	Pulling down size stone slabs standing in front of Sree Anjaneyaswamy Temple	..	36	0 1 0		
(*c*)	Pulling down two side pillars and a beam with supports, etc., on northern pial	..	14	0 3 0		
3	Flooring with burnt stone slabs 4″ thick, one line dressed with neat joints on 3″ stone jelly concrete bed including cement pointing	Sqr.	2·60	40 0 0		
4	Flooring with 3″ stone jelly concrete with 1″ cement concrete over it and cement plastering ½″ thick ..	,,	37·16	15 0 0		
5	Grouting joints with cement concrete and pointing with cement for the old flooring	,,	5·23	8 0 0		
6	Removing dig platform slabs and re-setting on 3″ stone jelly concrete and cement pointing	C.ft.	172	0 4 0		
7	One line dressing for slabs in their fixed position below pillars	S.ft.	244	0 2 0		
8	Flooring with 3″ stone jelly concrete with ½″ cement plastering utilizing stone chips from dressing ..	Sqr.	6·49	15 0 0		
9	Removing the existing mud-roof over Yagasala and resetting with concrete over it and plastering, etc., complete	,,	2·20	15 0 0		
10	Dismantling roof of Yagasala ..	C.ft.	162	0 3 0		
11	Reusing the slabs for the covering of Yagasala	,,	110	0 4 0		
12*a*	Earthwork excavation for Yagasala ..	C.yds.	7	0 3 0		
(*b*)	Filling foundation with size stone in mortar	C.ft.	189	0 4 6		
(*c*)	Superstructure with size stone in mortar with bond stones at every six feet in each layer	,,	378	0 4 6		
(*d*)	Removing and refixing the existing window with the required masonry.	Each	2	1 0 0		
(*e*)	Do do door ..	,,	1	2 0 0		
(*f*)	Deep pointing to walls with cement ..	Sqr.	5·04	3 8 0		
13	Repairing the existing roof with a mixture of Asphalt, sand and coal tar well boiled and applying fully after racking the cracks and cleaning with a steel brush	Sqr.	46·82	5 0 0		
14	R. C. ventilators, windows perforated with geometrical pattern in Hindu style as per design, (ventilators will be supplied departmently at Bangalore) Rates may be given for carrying and fixing	S. ft.	30	..		

No.	Items of work	Per	Quantity	Rate	Rate in Words	Rate in Figures
				Rs. a. p.		Rs.
15	Removing the existing window on eastern side of main hall and providing R. C. C. ventilators. Window ventilators and windows will be supplied departmentally. Charges may be given for carrying and fixing.	S.ft.	15	..		
16	Iron collapsible door at Mahadwara ..	,,	54	3 0 0		
17	Teakwood battened door with 2" thick planks with brass headed iron nails with fittings, etc., complete for Navaranga	,,	21	3 0 0		
18 (*a*)	Stone jelly concrete for foundation of compound wall	C.ft.	680	0 4 0		
(*b*)	Size stone in mortar with the available rough stones after bringing them to size by hammer dressing, etc. ..	,,	1,610	0 2 6		
(*c*)	Size stone in mortar with new stones, including bond stones for every 6 feet in each layer	,,	805	0 4 6		
19	Deep cement pointing to compound wall	Sqr.	17·00	3 8 0		
20	Coping with 4" thick burnt stone slabs with one line dressing over compound wall including cement pointing ...	S.ft.	340	0 4 0		
21	Providing and fixing the burnt stone 6" slabs with one line dressing for steps	,,	60	0 4 0		

M. A. SRINIVASACHARI,
Executive Engineer.

KOLAR DISTRICT.

Abstract Notification, dated 15th February 1936.

The attention of the public is invited to the Notification in pages 290 to 299 of the issue of *Mysore Gazette*, dated 27th February 1936, calling for tenders for the work of (i) constructing a new masonry weir at the right end in place of the damaged weir and closing the breach of Thimmapalli Kanavekere, Register No. 858, Bagepalli Taluk, (ii) Restoring Balareddipalli Gurammanakere, Register No. 635, Bagepalli Taluk, (iii) Filling the breach and extending the weirs at both flanks of Maddepalli Doddakere, Register No. 860, Bagepalli Taluk, (iv) Restoring Bagepalli Voddu, Register No. 639, Bagepalli Taluk, and (v) Restoring Muthakapalli Dodkere, Register No. 788, Bagepalli Taluk. The last date for receipt of tender is 16th March 1936.

N. SUBBA RAO,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification, dated 24th February 1936.

The attention of the public is invited to the advertisement in pages 299-304 of the *Mysore Gazette*, dated 27th February 1936, calling for tenders for " Renovating the Old Jail Buildings at Shimoga".

Each tender must be accompanied by a Treasury chellan for having deposited Rs. 300 as earnest money.

The work should be completed by the end of December 1936 with a monthly progress of Rs. 2,000.

B. KRISHNA RAO,
Executive Engineer.